



Apollo Water Base Primer (Economy Range)


It is best for Primaring Wall & Surfaces both Interior & Exterior.

USES

Primer can be diluted for better application. Its unique qualities include ease of brushing, great coverage, resistance, speedy drying, and outstanding sealing capabilities. It has fungicides added specifically to fortify it.

PRODUCT CHARACTERISTICS

Surface



Shades Available



White

Application



8-10 Bras in 20 Ltr

Availability



Time to dry

2-3 Hours

Dilution



Usage

Used for the purpose of priming walls, concrete & bricks

Durability



Interior & Exterior

Shelf Life



1 Yrs

EXTRA INFORMATION

AFTER APPLICATION CARE

- ▶ For the best possible outcome, we recommend applying two coats.

CAUTION TO TAKE

- ▶ Keep out of children's reach and away from food.
- ▶ Should not be swallowed. If you've eaten something, get help right away.
- ▶ Before applying, protect your eyes. In the event of contact with the eyes, flush with water right away and seek simple assistance.
- ▶ Thoroughly wash the skin with soap and water if in contact with product.
- ▶ If irritation occurs or continues, seek medical assistance.
- ▶ Do not inhale spray or vapour. To prevent dust inhalation while sanding and surface preparation, it is advised to wear a suitable nose pad.
- ▶ Never spill leftover paint into waterways or drains. In the event of spills, contain spillage using sand or soil.
- ▶ No additional Lead, Mercury, or Chromium compounds.

PREVENTIVE MEASURES

- ▶ If the temperature is expected to fall within four hours of application or if the ambient temperature is less than 10°C, avoid applying.
- ▶ Avoid overstretching or overthinning the brush.