




## Delux Synthetic Red Oxide

Classics paint Delux Red Oxide is a paint that gives shine as smooth as silk. It has a synthetic resin foundation and has a passable level of corrosion resistance.



## PRODUCT CHARACTERISTICS

### Finish

↓  
Matt Finish   Soft Sheen   Rich Sheen   Gloss

**MATT FINISH**

Refer to sheen levels in technical details

### Shades Available



Synthetic Red Oxide

### Application



80 sq ft/ltr/coat

### Availability



200 ml — 500 ml — 1 Ltr — 4 Ltr — 20 Ltr

### Dilution



**200ml  
for 1 ltr**

Use Within 6 Hrs

### Shelf Life



**1  
Yrs**

### Time to dry

**6-8 HOURS**

### Preferred Usage

For priming ferrous metal, Wall & Wood substrates, primer is appropriate.

## EXTRA INFORMATION

### CAUTION TO TAKE

- ▶ Keep out of children's reach and away from food.
- ▶ Should not be swallowed. If you've eaten something, get help right away.
- ▶ Before applying, protect your eyes. In the event of contact with the eyes, flush with water right away and seek simple assistance.
- ▶ Thoroughly wash the skin with soap and water or continues, seek medical assistance. contact with product. If irritation occurs
- ▶ Do not inhale spray or vapour. To prevent dust inhalation while sanding and surface preparation, it is advised to wear a suitable nose pad.
- ▶ Never spill leftover paint into waterways or drains. In the event of spills, contain spillage using sand or soll.
- ▶ No additional Lead, Mercury, or Chromium compounds

### PREVENTIVE MEASURES

- ▶ If the temperature is expected to fall within four hours of application or if the ambient temperature is less than 10°C, avoid applying.
- ▶ Avoid overstretching or over thinning the brush.